

EVENT: **Aviation Week MRO America's 2021**

BOOTH #: _____

EXHIBITING COMPANY: _____

BOOTH SIZE: _____ X _____

****An OCCC Method Of Payment Form Must Be Included To Complete Your Order Submission****

This Order Is: <input type="checkbox"/> Original or <input type="checkbox"/> A Revision		Incentive Rate If Ordered & Paid By:				Base Rate If Ordered Or Paid On/After:				On-Site Rates Start:					
Quantity		April 2nd, 2021				April 3rd, 2021				April 23rd, 2021					
Floor	Ceiling	Item Description		Cost	Utility Tax	Sales Tax	Unit Price	Cost	Utility Tax	Sales Tax	Unit Price	Subtotal			
		120V 5 Amp (500w) Single Outlet*		\$119.87	\$11.99	\$7.79	\$139.65	\$192.87	\$19.29	\$12.54	\$224.70				
		120V 10 Amp (1000w) Single Outlet*		\$136.99	\$13.70	\$8.90	\$159.59	\$219.91	\$21.99	\$14.29	\$256.19				
		120V 15 Amp (1500w) Single Outlet*		\$154.12	\$15.41	\$10.02	\$179.55	\$247.85	\$24.79	\$16.11	\$288.75				
		120V 20 Amp (2000w) Single Outlet*		\$172.15	\$17.21	\$11.19	\$200.55	\$270.39	\$27.04	\$17.58	\$315.01				
208V Services (Single Phase) *Plug Rental Charge is Automatically Added Unless Otherwise Noted Below															
		208V 20 Amp Single Phase*		\$220.82	\$22.08	\$14.35	\$257.25	\$355.11	\$35.51	\$23.08	\$413.70				
		208V 30 Amp Single Phase*		\$292.02	\$29.20	\$18.98	\$340.18	\$466.87	\$46.69	\$30.35	\$543.91				
		208V 40 Amp Single Phase*		\$359.61	\$35.96	\$23.37	\$418.94	\$572.32	\$57.23	\$37.20	\$666.75				
		208V 50 Amp Single Phase*		\$447.04	\$44.70	\$29.06	\$520.80	\$715.63	\$71.56	\$46.52	\$833.71				
		208V 60 Amp Single Phase*		\$538.07	\$53.81	\$34.97	\$626.85	\$848.12	\$84.81	\$55.13	\$988.06				
		208V 80 Amp Single Phase*		\$666.95	\$66.70	\$43.35	\$777.00	\$1,066.95	\$106.70	\$69.35	\$1,243.00				
		208V 100 Amp Single Phase*		\$853.22	\$95.32	\$55.46	\$994.00	\$1,363.95	\$136.40	\$88.66	\$1,589.00				
N/A		208V 150 Amp Single Phase*		\$1,084.11	\$70.47	\$108.42	\$1,263.00	\$1,733.90	\$112.71	\$173.39	\$2,020.00				
N/A		208V 200 Amp Single Phase*		\$1,446.34	\$94.02	\$144.64	\$1,685.00	\$2,315.01	\$150.48	\$231.51	\$2,697.00				
N/A		208V 400 Amp Single Phase*		\$2,891.84	\$187.97	\$289.19	\$3,369.00	\$4,627.46	\$300.79	\$462.75	\$5,391.00				
208V Services (Three Phase) *Plug Rental Charge is Automatically Added Unless Otherwise Noted Below															
		208V 20 Amp Three Phase*		\$338.89	\$33.89	\$22.03	\$394.81	\$544.38	\$54.44	\$35.38	\$634.20				
		208V 30 Amp Three Phase*		\$485.79	\$48.58	\$31.58	\$565.95	\$779.61	\$77.96	\$50.67	\$908.24				
		208V 40 Amp Three Phase*		\$618.28	\$61.83	\$40.19	\$720.30	\$990.52	\$99.05	\$64.38	\$1,153.95				
		208V 50 Amp Three Phase*		\$734.55	\$73.45	\$47.75	\$855.75	\$1,177.98	\$117.80	\$76.57	\$1,372.35				
		208V 60 Amp Three Phase*		\$925.63	\$92.56	\$60.17	\$1,078.36	\$1,484.42	\$148.44	\$96.49	\$1,729.35				
		208V 80 Amp Three Phase*		\$1,177.68	\$117.77	\$76.55	\$1,372.00	\$1,884.12	\$188.41	\$122.47	\$2,195.00				
		208V 100 Amp Three Phase*		\$1,472.10	\$147.21	\$95.69	\$1,715.00	\$2,356.22	\$235.62	\$153.15	\$2,745.00				
N/A		208V 150 Amp Three Phase*		\$1,872.10	\$121.69	\$187.21	\$2,181.00	\$2,993.99	\$194.61	\$299.40	\$3,488.00				
N/A		208V 200 Amp Three Phase*		\$2,495.27	\$162.20	\$249.53	\$2,907.00	\$3,993.12	\$259.56	\$399.32	\$4,652.00				
N/A		208V 400 Amp Three Phase*		\$5,782.82	\$375.89	\$578.29	\$6,737.00	\$9,254.07	\$601.52	\$925.41	\$10,781.00				
Select Any Related and/or Required Services															
		Ceiling Drop Charge†					\$275.10				\$407.40				
		25' Extension Cord		\$22.53		\$1.47	\$24.00	\$22.53		\$1.47	\$24.00				
		Six Outlet Power Strip		\$22.53		\$1.47	\$24.00	\$22.53		\$1.47	\$24.00				
		GFI Rental Plug		\$25.00		\$1.63	\$26.63	\$25.00		\$1.63	\$26.63				
		20 - 30 Amp Connection Plug‡		\$92.02		\$5.98	\$98.00	\$92.02		\$5.98	\$98.00				
		40 - 60 Amp Connection Plug‡		\$92.02		\$5.98	\$98.00	\$92.02		\$5.98	\$98.00				
		80 - 100 Amp Connection Plug‡		\$92.02		\$5.98	\$98.00	\$92.02		\$5.98	\$98.00				
		150 - 200 Amp Connection‡		\$165.26		\$10.74	\$176.00	\$165.26		\$10.74	\$176.00				
		400 Amp Connection‡		\$183.10		\$11.90	\$195.00	\$183.10		\$11.90	\$195.00				
		<input type="checkbox"/> CHECK HERE IF NO PLUG RENTAL NEEDED													
*Labor, Placement & 24-Hour Power <u>Included</u>											† <u>Required</u> For All Ceiling Drops		‡ <u>Required</u> For Each 208V Connection		TOTAL:

OCCC TERMS & CONDITIONS

- On-site orders are subject to a 50% price increase over base rates.
 - Payment in full and a scaled diagram indicating the number and location of outlets, including the booth's dimensions and neighboring booth/aisle numbers MUST be included before services are provided. Rates are based on when payment and floor plan is received by OCCC. Orders without payment will NOT be processed and service will be withheld.
 - OCCC electricians will not branch power and are not responsible for power distribution installed by others. Exhibitors and/or EACs are permitted to branch power in the booth.
 - Modifications or additions to incentive rate orders received after the incentive deadline are subject to base or onsite rates. All cancellations and/or modifications to orders are subject to a \$35.00 Administration Fee if a refund is required.
 - Refunds for issues or unused services will not be considered unless filed by the exhibitor before the close of show at the OCCC Service Desk. The Center will not refund overpayments, except sales tax, in an amount less than \$15.00, unless specifically requested in writing.
 - Labor charges may apply for service calls.
- Exhibitors are permitted to install all plug rentals. If an electrician is needed, one may be provided.

FOR OFFICE USE ONLY

**SERVICE PLACEMENT
DIAGRAM FORM**

EVENT: **Aviation Week MRO America's 2021**

BOOTH #: _____

EXHIBITING COMPANY: _____

BOOTH SIZE: _____ X _____

ORDER CONTACT NAME: _____

PHONE: _____ FAX: _____

EMAIL: _____

BACK OF BOOTH - ADJACENT BOOTH OR AISLE # _____

ADJACENT
BOOTH OR
AISLE #:

ADJACENT
BOOTH OR
AISLE #:

FRONT OF BOOTH - AISLE # _____

SPECIAL INSTRUCTIONS / COMMENTS / NOTES:

Electrical Conditions

1. All equipment regardless of source of power must comply with the National Electrical Code, and all Federal, State, and Local Safety Codes.
2. Use of open clip sockets, latex or lamp cord wire, unapproved duplex or triplex attachment plugs in exhibits is prohibited.
3. Permanent building electrical outlets are not a part of booth space and are not to be used by exhibitors.
4. Under NO circumstances shall anyone other than an OCCC electrician make electrical connections to house equipment.
5. Special equipment requiring company engineers or technicians for assembly, servicing, preparatory work, and operation may be executed without a house electrician; however, all service connections and overload protection to such equipment must be made by a house electrician only.
6. All equipment must be properly tagged or marked with complete information as to the type and/or amount of current, voltage, phase, frequency, horsepower, etc. required.
7. All material and equipment furnished by the OCCC shall remain the property of the OCCC and shall be removed ONLY by the OCCC at the close of the show.
8. Unless otherwise directed, OCCC electricians are authorized to cut floor coverings to permit installation of service.
9. All 120V cords must be of the 3 wire, grounded type. All exposed non-current carrying metal parts of fixed equipment, which are liable to be energized, shall be grounded.
10. The OCCC reserves the right to refuse connection to any exhibitor whose equipment is deemed unsafe by the OCCC.
11. Orders received during the incentive period will receive priority over base or on-site orders.
12. The exhibitor releases, waives and holds harmless the OCCC, its officers, employees and agents for any liability, claims, and damages arising out of any of the services or equipment provided herein. The exhibitor shall indemnify the OCCC for any bodily injury or property damage resulting from any negligent act or omission of the exhibitor, its officer, employees or agents.
13. Obstructions blocking utility floor boxes are subject to relocation as necessary.
14. The OCCC will charge time and materials for exhibitor or appointed contractor installed cords, which require troubleshooting and/or redistribution.
15. All electrical services are to be billed to the next greatest wattage or amperage (i.e. 15amp 208v single phase = 20amp 208v single phase).
16. The OCCC does not provide distribution panels. If an exhibitor orders "bulk power", the OCCC will not provide distribution panels to the exhibitor; they must provide their own.

Plumbing & Gases Conditions

1. Plumbing services are only available from the floor.
2. Compressed air pressure may vary. No guarantee can be made of minimum and maximum pressure. If pressure is critical, please contact Exhibitor Services at (407) 685-9824.
3. The OCCC will not branch/split gas from one location to another to achieve multiple locations. The OCCC is not responsible for gas distribution installed by others.
4. All gas will be removed or shut off one hour after the close of each day. LP gas prices include hook-up and dismantle of tank each day.
5. Labor charges will apply for service calls.
6. All equipment must comply with the Southern Building Code, all Federal, State, and local safety codes.
7. All material and equipment furnished by the OCCC shall remain the property of the OCCC and shall be removed ONLY by the OCCC at the close of show.
8. Unless otherwise directed, OCCC personnel are authorized to cut floor coverings to permit installation of service.

Additional Exhibitor Conditions

1. Claims will not be considered unless filed by the exhibitor at the OCCC Service Desk prior to the close of the show.
2. Freight deliveries, including, but not limited to: UPS, FedEx, RPS, GPS, etc. will not be accepted by the OCCC. Most carriers will not deliver to individual booths. Refer to your exhibitor manual or ask your show management for proper drayage instructions.
3. Adhesive-backed decals (stick-on) or similar items (except nametags) may not be distributed or used in the OCCC.
4. Decorations, signs, banners, etc., may not be taped, nailed, tacked, stapled or otherwise fastened to ceilings, walls, doors, windows, painted surfaces, or columns by exhibitors or their designee.
5. Cooking permits must be obtained from your exhibitor manual or show management, completed and accepted by the OCCC prior to any cooking activity. A 2A40 B.C. fire extinguisher must be in the booth, no more than thirty (30) feet from each cooking device. Exhibitor shall comply with all Orange County Health Department rules and regulations. Exhibits involving cooking or food preparation must provide a clean-up area or use those provided by show management. Disposal of cooking residue into the OCCC's drainage system is prohibited. Holding tanks for disposal of cooking residue (oil, grease, etc.) are required.
6. "Day tanks" of bottled gas may be used, during show hours, for cooking or demonstration purposes. Tanks must have a release valve and be removed from the OCCC, daily, at the close of event. At no time can tanks be stored in the OCCC. A 2A40 B.C. fire extinguisher must be in the booth, no more than thirty (30) feet from each cooking device.
7. Exhibits or displays, equipment, stock or supplies will not be allowed to enter or leave by way of the front entrances of the OCCC.
8. Fog, smoke and special effect equipment is restricted to water based chemicals. Approval must be obtained from show management and the Orange County Fire Rescue Services Department through OCCC Event Coordination. Fog, smoke and special effect equipment must not be operated in areas where the effect could enter adjacent spaces, e.g., exhibition hall entrances, concourses, etc.
9. Food and beverages are not permitted on premises unless purchased through the OCCC's Food Service Partners or as an approved exhibit by the legal manufacturer and/or distributor. Food or beverages may not be brought in or delivered to the OCCC for personal consumption. Exhibitors planning to distribute food and beverages, whether manufacturer or distributor, must make advance arrangements with the OCCC's Food Service Partners.
10. Hazardous Work Areas - During move-in and move-out, exhibition halls, loading docks, truck staging areas and service corridors are considered hazardous work areas. Alcoholic beverages, possession or use of controlled substances of any kind, horseplay, practical jokes, etc. are prohibited. Speeding or reckless use of vehicles or equipment is prohibited. Music or noise that may limit the audibility of back-up signals, fire alarms or emergency messages is prohibited. Children under 16 years of age are prohibited.
11. Holes may not be drilled, cored, or punched into any surfaces of the OCCC.
12. Multi-level and/or Covered Exhibits require firewatch personnel or an automatic extinguishing system and submittal of scaled, stamped plans. Guidelines are available through your exhibitor manual, show management or OCCC Event Management. Exhibitor will be charged for firewatch personnel per Orange County's fee schedules.
13. Painting signs, exhibits or other objects is not permitted in the OCCC.
14. Permits are required for booths and/or exhibitor activity that includes cooking, pyrotechnic, tent, welding or cutting and multi-level or covered booths or other potentially dangerous hazards. Each situation must be individually approved. Permit information may be obtained from your exhibitor manual, show management, or OCCC Event Coordination.
15. In compliance with the Florida Clean Air Act, Florida Statutes Sections 386.205 and 386.206, smoking is not permitted on any parts of the OCCC campus.
16. Static helium balloon displays are permitted after filing a Balloons Agreement with OCCC Exhibitor Services department. Helium balloons may not be used as giveaways. Helium tank storage inside the OCCC is prohibited.
17. Tape used on exhibition hall floors must be low residue resistant carpet tape (Polyken 105C or Renfrew #147) and low residue safety tape (Asiachem SST-736 or approved equivalent). All tape must be removed from the floor and disposed of immediately after the event.
18. Vehicles that remain in the exhibition hall as part of a display must have the battery cables disconnected. The gas tank must either be taped shut or have a lockable gas cap and may contain no more than one-fourth (1/4) tank or 10 (ten) gallons of fuel, whichever is less.

Exhibitors need to provide their own UL-Certified plug(s) for connecting equipment to the OCCC's electrical receptacle. If an exhibitor's electrical plug does not match the OCCC's electrical receptacle, the exhibitor will need a UL-Certified Connection Plug to connect to the OCCC's receptacle. If an exhibitor does not provide their own UL-Certified Connection Plug, the exhibitor must rent a UL-Certified Connection Plug from the OCCC for an additional charge. Exhibitors are responsible for leaving all rented UL-Certified Connection Plugs in their booth at the close of the event. **All missing plugs will result in a \$150 charge.** Below is a description of the type of electrical receptacles the OCCC's supplies based on amperage.

20 Amp Single Phase - two hots, neutral and ground

OCCC Receptacles for 208V: **NEMA L21-20R**

Plug Needed for 208V: **NEMA L21-20P**

OCCC Receptacles for 277/480V: **NEMA L22-20R**

Plug Needed for 277/480V: **NEMA L22-20P**



20 Amp Three Phase - three hots, neutral and ground

OCCC Receptacles for 208V: **NEMA L21-20R**

Plug Needed for 208V: **NEMA L21-20P**

OCCC Receptacles for 277/480V: **NEMA L22-20R**

Plug Needed for 277/480V: **NEMA L22-20P**

30 Amp Single Phase - two hots, neutral and ground

OCCC Receptacles for 208V: **NEMA L21-30R**

Plug Needed for 208V: **NEMA L21-30P**

OCCC Receptacles for 277/480V: **L22-30R**

Plug Needed for 277/480V: **NEMA L22-30P**



30 Amp Three Phase - three hots, neutral and ground

OCCC Receptacles for 208V: **NEMA L21-30R**

Plug Needed for 208V: **NEMA L21-30P**

OCCC Receptacles for 277/480V: **L22-30R**

Plug Needed for 277/480V: **NEMA L22-30P**

60 Amp Single Phase - two hots, neutral and ground

OCCC Receptacles for 208V: **Hubbell 560P9W**

OCCC Receptacles for 277/480V: **Hubbell 560P7W**

60 Amp Three Phase - three hots, neutral and ground

OCCC Receptacles for 208V: **Hubbell 560P9W**

OCCC Receptacles for 277/480V: **Hubbell 560P7W**



100 Amp Single Phase - two hots, neutral and ground

OCCC Receptacles for 208V: **Hubbell 5100P9W**

OCCC Receptacles for 277/480V: **Hubbell 5100P7W**

100 Amp Three Phase - three hots, neutral and ground

OCCC Receptacles for 208V: **Hubbell 5100P9W**

OCCC Receptacles for 277/480V: **Hubbell 5100P7W**

Rental Price: \$98.00 (\$92.02 + \$5.98 tax)

150 - 200 Amp Single Phase - two hots, neutral and a ground.

OCCC Receptacles for 208/480V: **Camlock (2/0)**

150 - 200 Amp Three Phase - three hots, neutral and a ground.

OCCC Receptacles for 208/480V: **Camlock (2/0)**

Rental Price: \$176.00 (\$165.26 + \$10.74 tax)

200 - 400 Amp Single Phase - two hots, neutral and a ground.

OCCC Receptacles for 280/480V: **Camlock (4/0)**

200 - 400 Amp Three Phase - three hots, neutral and a ground.

OCCC Receptacles for 208/480V: **Camlock (4/0)**

Rental Price: \$195.00 (\$183.10 + \$11.90 tax)



Cooking Information

A Cooking/Open Flame Agreement form must be obtained prior to any on-site cooking, and/or food warming activities on the premises. Cooking/Open Flame Agreement forms can be obtained via the OCCC Exhibitor Services division, which are then submitted for review and approval by the Orange County Fire Marshal's office.

The use of cooking appliances must be disclosed on the Cooking/Open Flame Agreement form. Each exhibit using cooking or food warming devices may be subject to an individual inspection. Cooking devices must be separated from the public by at least four feet, or by a substantial barrier between the devices and the public. In addition, a K-Class fire extinguisher must be in the cooking location, within thirty (30) feet of fryers and a 2A40BC fire extinguisher must be within thirty (30) feet of all cooking appliances. All fire extinguishers must be properly charged and tagged by a licensed fire extinguisher contractor.

Events involving cooking or food preparation must provide an appropriate number of utensil clean-up areas. Disposal of cooking residue into the OCCC drainage system is prohibited. Lessee shall provide holding tanks for disposal of all cooking residue (oil, grease, etc.) The OCCC has grease barrels and portable sink units available at the prevailing rates. Lessee shall also comply with all Orange County Health Department rules and regulations.

Permitted Cooking Appliances Must Meet The Following Conditions:

- Equipment fueled by small heat sources (such as sterno).
- Flaming sword or other equipment involving open flames and flaming dishes provided that precautions (subject to the approval of the Orange County Fire Marshal) are taken. Prior approval from the Orange County Fire Marshal is required.
- Portable butane-fueled appliances (listed and approved for commercial use) with a maximum of two 10 oz. non-refillable containers. **Please Note:** The containers must be connected directly to the appliance. Manifolding of the cylinders is not permitted. The maximum number of stored butane containers is limited to 24. Prior approval from the Orange County Fire Marshal is required.
- Listed and approved ventless self-contained exhaust systems with an automatic suppression system that complies with NFPA 96 *Standard for Ventilation Control and Fire Protection of Commercial Cooking Operations*. Prior approval from the Orange County Fire Marshal is required.
- Cooking Appliances that Require Automatic Suppression and/or Flue Connection:
 - Fryers
 - Grills, Ranges, Griddles, Broilers, Chain-broilers
 - Ovens

Please Note: A firewatch may be provided in lieu of automatic suppression and/or flue connection with prior approval from the Orange County Fire Marshal.

Covered Booth Guidelines (Less than 300 Square Feet)

Please See Multi Level Guidelines Information Sheet

Facility Emergency Equipment

- Fire fighting and emergency equipment may not be hidden or obstructed, including fire extinguishers, strobes, fire hose cabinets and standpipes.
- All emergency exits, hallways and aisles leading from the OCCC must be kept clear and unobstructed.
- Fire lanes must be maintained at all times on the loading dock.

Flame Resistance Information

- All woodwork, stage scenery, furnishings, decorations and sets used upon a working permanent or temporary stage, or within an exhibit, shall be coated or treated by approved methods to render them flame resistant.
- All fabrics, films, draperies, curtains and similar furnishings must be flame resistant as demonstrated by testing in accordance with NFPA 701 Standard Methods of Fire Tests for Flame Propagation of Textiles and Films.
- Acoustical and decorative material including, but not limited to, cotton, foamed plastic, hay, paper, straw, wood chips, mulch, split bamboo and thatch must be treated with a flame-retardant.
- The use of Styrofoam products for set construction is not permitted.
- Documentation of flame resistance must be available for review upon request. Additional flame retardant treatments shall be applied in accordance with the appropriate product direction.

Gas Information

- The Exhibitor shall not bring upon the premises any exhibit, equipment or vehicle that, in the judgment of the OCCC, would be, or might be, dangerous to persons or property or otherwise incompatible with the structure, systems and furnishings. Hazardous chemicals and materials, including, but not limited to, pesticides, herbicides, poisons, flammable and combustible liquids, hazardous gases, pressure cylinders and tanks, and hazardous chemicals (including oxidizers) are prohibited inside the OCCC.
- Gasoline, kerosene, diesel fuel, combustible gases and other flammable liquids may not be stored (permanently or temporarily) in the OCCC during an event or its move-in and move-out activities.

Gas - Compressed/Inert

- Compressed inert gases may be used provided the vessels are stored in a safe manner and the OCCC Event Management department has been notified regarding their intended use and preferred storage location. Demonstrations involving inert gases must comply with all federal and local regulations.

Inert Gas Cylinders

- Compressed gas cylinders may not be stored on dock areas or the exhibit floor during “move-in” or “move-out”.
- Compressed inert gas cylinders may be located in an exhibit space after “move-in” is complete. Cylinders must be properly secured at all times.
- Introduction of all other compressed liquids and gases into the building is prohibited without prior approval from the Fire Marshal.

Gas – Natural

- Equipment utilizing natural gas shall be installed in accordance with NFPA 54, Natural Fuel Gas Code.
- Supply lines will be turned on approximately one (1) hour prior to posted show hours and shut off one (1) hour after the end of each show day, by OCCC Event Utilities staff.
- A ceiling (rigging) drop is required for natural gas orders in exhibit halls. Exhibitor fee information and ordering information can be obtained from the Exhibitor Services division or via our website @ www.occc.net/exhibitor. **Please Note:** Exhibitors placing natural gas orders are to provide a “Service Placement Plot” drawing depicting exact placement of the requested line drop.

Gas – Liquid Petroleum (LP)

- Non-refillable cylinders with a capacity of nominal 1 lb.
- The use of portable butane fueled appliances listed for commercial use, up to maximum of (2) 10 oz. containers, is permitted with prior approval of the Fire Marshal.
- The use of nominal 5 lb. Liquid Petroleum containers, when installed in the OCCC by the Event Utilities division, is permitted with prior approval from the Fire Marshal. A mandatory fire watch is required.
- Multiple nominal 5 lb. Liquid Petroleum containers, when installed in the OCCC, must be separated by a minimum of 20 feet. Storage of the Liquid Petroleum product must comply with NFPA 58 Liquefied Petroleum Gas Code. A mandatory fire watch is required.
- All Liquid Petroleum must be removed from the display area at the immediate close of show hours.
- Any other Liquid Petroleum product not listed above is strictly prohibited.

Gas – Storage

- Gasoline, kerosene, diesel fuel, combustible gases (cylinders) or other flammable liquids may not be stored (permanently or temporarily) within the OCCC facility, or on dock areas, during an event or its move-in and move-out.

Hazardous Chemicals

- The Exhibitor shall not bring upon the premises any exhibit, equipment or vehicle that, in the judgment of the OCCC, would be, or might be, dangerous to persons or property, or otherwise incompatible with the structure, systems and furnishings of the building. Hazardous chemicals and materials, including, but not limited to, pesticides, herbicides, poisons, flammable and combustible liquids, hazardous gases, pressure cylinders and tanks, and hazardous chemicals (including oxidizers) are prohibited inside the OCCC.
- The Exhibitor is responsible for the removal of all hazardous waste and must comply with all applicable federal, state and local regulations. Hazardous waste includes materials that are ignitable, corrosive, reactive, toxic or a biohazard (as defined under 40 CFR 261 subpart C and D). If materials are questionable, contact OCCC Exhibitor Services for more information. Costs or applicable administrative expenses incurred by the OCCC for the removal of hazardous waste left in, or about, the OCCC will be assessed to the Exhibitor.

Multi-Level Exhibits & Covered Booths Over 300 Square Feet

Please See Multi Level Guidelines Information Sheet

Open Flame, Pyrotechnics and Special Effects

Open Flame

- Open Flame and Flame Effects must comply with NFPA 160 – Standard for Flame Effects Before An Audience.
- Depending on the intended use of an open flame product, a Special Effects permit may be required. Consult the OCCC Exhibitor Services department for further information and approval by the Orange County Fire Rescue Department.
- A demonstration of the open flame device may be required at the discretion of the Orange County Fire Marshal, while on OCCC premises.
- Depending on the intended use of an open flame product and the demonstration of an open flame device, a fire watch may be required.

Candles

- All candle flames must be enclosed and protected at all times.
- Candles may be used on tables if securely supported on a substantial noncombustible base and located in a position to avoid danger of ignition of combustible material.
- The OCCC Exhibit Services division and Orange County Fire Rescue must be notified in advance on the intended use of candles and candle product.

Pyrotechnics

- Pyrotechnics must comply with NFPA 1126 Standard for the Use of Pyrotechnics Before a Proximate Audience.
- A pyrotechnics permit is required. (Consult the OCCC Exhibitor Services division for further information and approval by the Orange County Fire Rescue Department.)
- A demonstration of the pyrotechnics display may be required at the discretion of the Orange County Fire Marshal.
- A mandatory fire watch will be required. A fire engine stand-by may be required, per the discretion of the Orange County Fire Marshal's office.

Special Effects – Fog & Hazers

- The use of fog and haze machines for lighting and theatrical effects is permitted within the OCCC, provided 1) The Exhibitor Services Coordinator be notified, and 2) The fog/haze fluid used in those machines is water-based. The use of non-water-based fog/haze fluid, specifically with an oil-based composition, is prohibited. A firewatch is required with all fog and haze.
- Orange County Fire Rescue guidelines will apply to the use of fog and haze machines and their interactions with OCCC building safety devices and/or detectors. Please consult the OCCC Exhibitor Services division for additional information regarding the use of fog and haze machines within the facility.

Special Effects - Lasers

- Lasers must comply with Florida Administrative Code Chapter 64E-4 Control of Nonionizing Radiation Hazards, NFPA 115 – Standard for Laser Fire Protection, and Florida Department of Health, State Bureau of Radiation regulations.
- A Laser Permit from Orange County Fire Rescue Department is required. In order to apply for this permit, the requestor must provide information about the proposed laser light show that includes classification of the lasers; sketches indicating the location of the lasers, operators, performers, viewers, beam paths, viewing screens, walls, mirror balls and other reflective or diffuse surfaces which may be struck by any and all laser beams, including scanning beam patterns, scanning velocity and frequency in occupied areas.
- For open-air shows where a laser beam is projected into the sky, requestor must submit basic beam information of intended laser use and a copy of the notification provided to the Federal Aviation Administration.
- All lasers must be registered with the Florida Department of Health, State Bureau of Radiation. A separate registration is required for each location of intended use. Out-of-state lasers brought into the state for temporary use require notification to the Florida Dept. of Health, State Bureau of Radiation.
- The Laser Safety Officer must establish and supervise a program of laser radiation safety for compliance with all applicable rules.
- Laser system users and staff must be trained on fire safety features prior to the lasers first use and at least annually thereafter.
- Staff members must be trained in the use of portable fire extinguishers.
- All training must be documented and available for review.

Permit Overview/Including Cooking Information

Special permits or notices are required for event activities and exhibits that involve cooking, pyrotechnics, tents, multi-level or covered exhibits, and/or potentially hazardous situations. Appropriate permit applications or notices for the following activities must be made to the Office of the Fire Marshal, at least twenty-one (21) days prior to the event move-in:

- The display and operation of **any unusual electrical, mechanical or chemical device that may present a hazard**. The device, its application and the operation must be approved the Fire Marshal.
- The display or operation of **any heater, barbecue, open flame, candles, lamps, torches, etc.**
- The use or storage of **flammable liquids, compressed gasses or dangerous chemicals** as determined by the Fire Marshal.
- The display or operation of a **laser**. A permit is required from Orange County Fire Rescue Department. Proper notification to the Florida State Bureau of Radiation is required. (See previous page for laser regulations and restrictions.)
- Any **pyrotechnics, fireworks or special effects** display or process.
- Any **unusual use of a motorized vehicle** inside an enclosed structure.
- Any special **cooking** requirements, including cooking inside of ballrooms, convention areas and/or display areas.
- **Multi-level exhibit booths**.
- **Tents or covered exhibits in excess of 300 square feet** erected inside the host facility.
- **Tents erected OUTSIDE** the OCCC building premises will require a permit issued by the Orange County Building Department.

Vehicles

- The show's security provider must conduct a mandatory vehicle inspection of each vehicle, prior to their entry into the exhibit hall.
- All fuel tank openings shall be locked and sealed to prevent escape of vapors. Fuel tanks may not contain more than one-quarter (1/4) capacity or ten (10) gallons of fuel whichever is less.
- At least one battery cable must be removed from the battery used to start the vehicle engine. The disconnected battery cable must be taped.
- Battery charging is not permitted in the exhibit hall, at any time.
- Converters may not be used in lieu of a battery to power the ignition source.
- Batteries used to power auxiliary equipment are permitted to be kept in service.
- Fueling or de-fueling of vehicles is prohibited.
- Vehicles may not be moved during show hours, unless the OCFR Fire Marshal approves the movement in advance and a Fire Watch is in place.
- Motor Homes, boats and similar exhibited products with over 100 sq. ft. of covered area must be protected with a listed smoke alarm.

Welding

- Welding and/or cutting equipment is prohibited in the OCCC except as part of an exhibit and must be approved by the Orange County Fire Rescue Services Department through the OCCC Event Services division.

Show Name: Aviation Week MRO America's 2021
Incentive Deadline Date: April 2nd, 2021
Base Rates Start On/After: April 3rd, 2021
OCCC Exhibitor Services Coordinator: Wanda Thomas
Direct Phone: (407) 685-1507
Contact Email: Wanda.Thomas@occc.net

The Orange County Convention Center is the exclusive provider of electricity, aerial rigging labor and lighting, water, plumbing, compressed air, natural and LP gas, and cable TV services to exhibitors. The OCCC's exclusive on-site service partners include: Internet and telecommunications by Smart City, booth catering by Centerplate, and business center services by FedEx Office. LMG is the OCCC's preferred A/V provider.

****A METHOD OF PAYMENT FORM MUST BE INCLUDED IN YOUR ORDER SUBMISSION OR YOUR ORDER WILL NOT BE PROCESSED****

How To Order OCCC Services:

Order Online:	Order via Email:	Fax:	Mail:
www.occc.net/exhibitor	Exhibitor.Services@occc.net	(407) 685-9884	OCCC Exhibitor Services 9860 Universal Blvd. Orlando, FL 32819-8199

If not ordering OCCC services online, please complete all applicable order forms and the required OCCC Method of Payment form. Orders without an OCCC Method of Payment form will not be processed. Please read through all of the OCCC's Guidelines & Conditions before ordering because exhibitors agree to all of the OCCC's Guidelines & Conditions when ordering services. For assistance, email Exhibitor.Services@occc.net or call the OCCC Exhibitor Services Team at **(800) 345-9898** or **(407) 685-9824**.

OCCC Exhibitor Ordering Conditions & Guidelines

1. Full payment and an accurate diagram **MUST** be included before services are provided. An accurate diagram indicates the quantity and location of outlets, as well as the booth's dimensions and neighboring booth/aisle numbers for orientation. Orders without full payment will not be processed and service will be withheld.
2. Rates are based on when an exhibitor's order, payment **AND** finalized diagram is received by OCCC. Revised diagrams will affect rates.
3. Orders received during move-in and/or on-site are subject to a 50% price increase over base rates.
4. Modifications to incentive rate orders received after the incentive deadline are subject to base rates or on-site rates.
5. Refunds for issues or unused services will not be considered unless filed by the exhibitor before the close of show at the OCCC Service Desk.
6. Notification of cancellation must be received in writing prior to the first scheduled show management move-in date to receive a refund. All cancellations and/or modifications to orders are subject to a \$35.00 Administration Fee and if a refund is required. The Center will not refund overpayments, except sales tax, in an amount less than \$15.00, unless specifically requested in writing.
7. All prices are subject to change without notice.
8. Florida State Sales Tax and Public Services Tax, when applicable, must be included with payment. Services will be rendered after payment in full (including tax) is received.
9. Once the OCCC has received a payment from an exhibitor, that payment is the payment that will be applied to the exhibitor's invoice. The OCCC will not accept an initial credit card payment from an exhibitor, and then refund the exhibitor's credit card if the exhibitor wants to pay with another credit card, a check, or an ETF (Wire/ACH) payment later.
10. Any unpaid balance will be subject to a finance charge of one and one half percent (1 ½%) per month from the date of the last contracted show day of the event."

OCCC Payment Options:

Credit / Debit Cards: OCCC will charge your credit/debit card in full for your advance order and any additional charges for on-site changes or additions. All aerial hanging sign (rigging) orders require a credit/debit card on file in the Method of Payment form, even if the exhibitor is paying with a check or ETF.

Company Checks: Checks must accompany your order submission and must be received, not postmarked, by the incentive deadline in order to receive incentive rates. Make check payable to Orange County Convention Center. Checks must be US funds drawn from a US bank. Please include your show name and booth number on check.

Electronic Funds Transfers (Wire & ACH): OCCC accepts both wire transfers and ACH payments. Payment must be cleared, not sent, by the incentive deadline in order to receive incentive rates. It is the exhibitor's responsibility to verify with their Initiating Bank that all fees (including Intermediate Bank fees) are included in their payment. Please contact Exhibitor Services for payment instructions.

Third Party Billings: Exhibitors may request for a third party (EACs, I&Ds, etc.) to be invoiced for services provided by OCCC. In doing so the exhibitor understands and agrees said exhibitor is ultimately financially responsible for all OCCC-provided services. If an exhibitor's third party has any outstanding balance at the end of a show, all charges will revert to the exhibitor. The OCCC reserves the right to deny any third party billing, in which case the exhibitor will be responsible for all charges.

EVENT: Aviation Week MRO America's 2021

EXHIBITOR	EXHIBITING COMPANY: _____	
	PHONE: _____	FAX: _____
	ADDRESS: _____	
	CITY: _____	STATE: _____
BILLING	ZIP CODE/PROVIDENCE: _____ COUNTRY: _____	
	BILL-TO COMPANY (IF DIFFERENT): _____	
	ORDER CONTACT NAME: _____	
	ADDRESS: _____	
	CITY: _____	STATE: _____
	ZIP CODE/PROVIDENCE: _____ COUNTRY: _____	
	PHONE: _____	FAX: _____
ORDER CONTACT EMAIL: _____		
EMAIL FOR INVOICES: _____		

BOOTH #: _____

BOOTH SIZE: _____ X _____

BOOTH TYPE:

INLINE ISLAND

PENINSULA OTHER

I AM:

THE EXHIBITOR

A 3RD PARTY (EAC/I&D):

****THIS FORM MUST BE INCLUDED IN YOUR ORDER SUBMISSION OR YOUR ORDER WILL NOT BE PROCESSED****

<p style="text-align: center;"><u>Aviation Week MRO America's 2021</u></p> <p>Incentive Deadline Date: April 2nd, 2021</p> <p>To qualify for incentive rates, all order forms, this Method of Payment form and a finalized booth diagram must be received by: April 2nd, 2021</p>	<p style="text-align: center;">Place Your Order Online or Via Email or Fax:</p> <p>Order Online: www.occc.net/exhibitor</p> <p>Email Forms: exhibitor.services@occc.net</p> <p>Send Via Fax: (407) 685-9884</p> <p>Call: (800) 345-9898</p>	<p style="text-align: center;">OCCC Mailing Address:</p> <p>Orange County Convention Center ATTN: Exhibitor Services 9860 Universal Blvd. Orlando, FL 32819-8199</p>
---	---	---

COMPANY CHECK

Checks must accompany your order submission and must be received, not postmarked, by the incentive deadline. Make check payable to Orange County Convention Center. Checks must be US funds drawn from a US bank. Please include your show name and booth number on check.

ELECTRONIC FUNDS TRANSFER

OCCC accepts both wire transfers and ACH payments. Payment must be cleared, not sent, by the incentive deadline. It is the exhibitor's responsibility to verify with their Initiating Bank that all fees are included in their payment. Please contact Exhibitor Services for payment instructions.

***ACH Payments now available Online**

CREDIT / DEBIT CARD

OCCC will charge your credit/debit card in full for your advance order and any additional charges for onsite changes or additions. Please complete all of the information below if using a credit/debit card:

CARD TYPE: VISA MASTERCARD AMERICAN EXPRESS

CARD NUMBER: _____ **EXPIRATION DATE:** _____ **SECURITY CODE:** _____

CARDHOLDER NAME: _____

BILLING ADDRESS: _____

I, the undersigned cardholder, by submitting an order to the OCCC, acknowledge and agree to all OCCC Terms & Conditions and give the Orange County Convention Center authorization to charge my credit card for the following services: electricity, rigging labor and equipment, lighting, plumbing, compressed air, propane & natural gas, cable TV and/or firewatches.

SIGNATURE: _____ **DATE:** _____

I further authorize the following named person(s) to approve additional charges on the above card on show site as deemed necessary by said person(s):

NAME: _____	SIGNATURE: _____
NAME: _____	SIGNATURE: _____
NAME: _____	SIGNATURE: _____